INSTRUCTIONS FOR SURGERY PATIENTS

PLEASE READ THESE INSTRUCTIONS CAREFULLY. IF YOU HAVE ANY QUESTIONS CONTACT OUR OFFICE AT (313) 582-8853

- Nothing to eat or drink after midnight the day before surgery. You will be able to eat after your procedure is over and you are fully awake.
- You will be contacted by the surgery center or hospital 1-3 days prior to your
 procedure with your surgical arrival time. If you are not contacted by the afternoon
 prior to surgery please call our office. Bring your insurance cards and identification
 with you.
- You should take your regular medications on the day of surgery with a small sip of water unless instructed otherwise by your surgeon or the surgery center / hospital.
- You will not be able to drive for 24 hours after surgery. Please arrange for transportation home.
- · If you feel ill or have a fever or cough prior to your procedure contact our office.
- BLOOD THINNERS: Blood thinners need to be stopped prior to surgery. Tylenol may be used for pain or headaches safely.

2 weeks prior and for 2 weeks after your surgery stop:

- Aspirin / ASA
- · NSAID arthritis medications
- Ibuprofen (Motrin / Advil)
- · Vitamin E, Fish Oil, and other nutritional supplements
- 1 week prior to surgery stop:
- Plavix
- Coumadin / Warfarin patients need special instructions for stopping these medications. Please inform your surgeon if your take these medications.

Before resuming blood thinners discuss with your surgeon.

 If you have any questions regarding these instructions or your procedure please contact our office.